

**Surgical Saw Blades for Orthopaedics,
Trauma and Small Bones
fitting Synthes (AO)
PRODUCT CATALOGUE**



REUSABLE
SAW BLADES
(except Keel Blade)



Overview Gomina Saw Blades

Saw blades for Orthopaedics



Saw blades for Trauma



Saw blades for Small Bones



Reciprocating Saw blades



Saw blades angled



Reciprocating Keel Blade



Keel Blade Set



Saw Blade Portfolio

Page

Fits to Synthes® (AO)



Sodem™
Synthes®
TRS
BPL II
CAD II



Synthes®



Synthes®
Colibri,
UNIUM™



Synthes®
E-Pen

10

Teeth designs

Premium teeth design

The Gomina Premium Line of saw blades is characterised by a combination of cross-grinded cutting teeth and straight-grinded raker teeth. This results in optimal cutting efficiency and high precision. The teeth are aligned on a straight line and are asymmetrical, which leads to a high degree of self-centring of the saw blade.



Premium teeth design



Performance teeth design

The Gomina Performance Line of saw blades is characterised by asymmetrical straight-grinded cutting teeth, slightly less aggressive than the Premium Line.




Performance teeth design



Reciprocating teeth designs

The Gomina reciprocating saw blades offers a variety of teeth designs. The cross-grinded cutting teeth (reciprocating aggressive) results in optimal cutting efficiency and high precision.

Reciprocating saw blades with the straight-grinded and symmetrical cutting teeth design are less aggressive. The set teeth allow an excellent sawing performance without jamming. Gomina double-sided reciprocating blades completes the portfolio.




Trauma teeth design

The Gomina trauma saw blades offers the wide product range for the corresponding application. The teeth set allow an excellent sawing performance without jamming.




Small Bone teeth design

The Gomina small bone saw blade is characterised by asymmetrical straight-grinded cutting teeth. These saw blades are mostly used without cutting blocks due the ease for free-hand sawing.



General Saw Blades information



NOTE: All markings on the products in this catalogue are exemplary, positions may differ from the actual marking. The UDI is to be understood as an example. Every article has its individual code.

Packaging

NON-STERILE PACKAGING

Non-sterile saw blades are packaged in single pouches and carry the product label with detailed information (label printed black & white). They don't come in boxes and can be **ordered single** for any desired quantity. Our unsterile saw blades are all reusable.



STERILE PACKAGING

Sterile saw blades are packaged in double sterile pouches which feature an additional protection layer for the cutting edge. Minimal ordering quantity is **one box containing 5 saw blades**. The box also contains one patient label per saw blade, placed between the first and second pouch of each blade. Except for the Reciprocating Keel Blade, all our sterile saw blades are reusable.



Contents

Fits to Synthes® (AO)	9
Premium	9
Performance	17
Reciprocating	22
Keel Blade Set	26
Trauma	28
Small Bones Fits to: Colibri, UNIUM™	33
Small Bones Fits to: Electric Pen Drive	39

Fits to Synthes® (AO)

Overview references

Length	Width	Thickness							
Premium Blades		0.90mm	1.00mm	1.18mm	1.19mm	1.23mm	1.27mm	1.37mm	1.47mm
90mm	25mm	215.259.090 215.259.090S	215.259.100 215.259.100S	215.259.118 215.259.118S	215.259.119 215.259.119S	215.259.123 215.259.123S	215.259.127 215.259.127S	215.259.137 215.259.137S	215.259.147 215.259.147S
90mm	22mm						215.229.127 215.229.127S		
90mm	19mm	215.199.090 215.199.090S	215.199.100 215.199.100S		215.199.119 215.199.119S		215.199.127 215.199.127S	215.199.137 215.199.137S	215.199.147 215.199.147S
90mm	12.5/19mm	215.999.090 215.999.090S					215.999.127 215.999.127S		
90mm	12.5mm	215.129.090 215.129.090S	215.129.100 215.129.100S	215.129.118 215.129.118S	215.129.119 215.129.119S	215.129.123 215.129.123S	215.129.127 215.129.127S	215.129.137 215.129.137S	215.129.147 215.129.147S
70mm	25mm	215.257.090 215.257.090S	215.257.100 215.257.100S						
70mm	6/12.5mm						215.987.127 215.987.127S		
60mm	12.5mm	215.126.090 215.126.090S							

Note: sterile version with S

Premium



Length	Width	Thickness	REF non-sterile	REF sterile
90mm	25mm	0.90mm	215.259.090	215.259.090S

Premium



Length	Width	Thickness	REF non-sterile	REF sterile
90mm	25mm	1.00mm	215.259.100	215.259.100S



Length	Width	Thickness	REF non-sterile	REF sterile
90mm	25mm	1.18mm	215.259.118	215.259.118S



Length	Width	Thickness	REF non-sterile	REF sterile
90mm	25mm	1.19mm	215.259.119	215.259.119S



Length	Width	Thickness	REF non-sterile	REF sterile
90mm	25mm	1.23mm	215.259.123	215.259.123S

Premium



Length	Width	Thickness	REF non-sterile	REF sterile
90mm	25mm	1.27mm	215.259.127	215.259.127S



Length	Width	Thickness	REF non-sterile	REF sterile
90mm	25mm	1.37mm	215.259.137	215.259.137S



Length	Width	Thickness	REF non-sterile	REF sterile
90mm	25mm	1.47mm	215.259.147	215.259.147S



Length	Width	Thickness	REF non-sterile	REF sterile
90mm	22mm	1.27mm	215.229.127	215.229.127S

Premium



Length	Width	Thickness	REF non-sterile	REF sterile
90mm	19mm	0.90mm	215.199.090	215.199.090S



Length	Width	Thickness	REF non-sterile	REF sterile
90mm	19mm	1.00mm	215.199.100	215.199.100S



Length	Width	Thickness	REF non-sterile	REF sterile
90mm	19mm	1.19mm	215.199.119	215.199.119S



Length	Width	Thickness	REF non-sterile	REF sterile
90mm	19mm	1.27mm	215.199.127	215.199.127S

Premium



Length	Width	Thickness	REF non-sterile	REF sterile
90mm	19mm	1.37mm	215.199.137	215.199.137S



Length	Width	Thickness	REF non-sterile	REF sterile
90mm	19mm	1.47mm	215.199.147	215.199.147S



Length	Width	Thickness	REF non-sterile	REF sterile
90mm	12.5/19mm	0.90mm	215.999.090	215.999.090S



Length	Width	Thickness	REF non-sterile	REF sterile
90mm	12.5/19mm	1.27mm	215.999.127	215.999.127S

Premium



Length	Width	Thickness	REF non-sterile	REF sterile
90mm	12.5mm	0.90mm	215.129.090	215.129.090S



Length	Width	Thickness	REF non-sterile	REF sterile
90mm	12.5mm	1.00mm	215.129.100	215.129.100S



Length	Width	Thickness	REF non-sterile	REF sterile
90mm	12.5mm	1.18mm	215.129.118	215.129.118S



Length	Width	Thickness	REF non-sterile	REF sterile
90mm	12.5mm	1.19mm	215.129.119	215.129.119S

Premium



Length	Width	Thickness	REF non-sterile	REF sterile
90mm	12.5mm	1.23mm	215.129.123	215.129.123S



Length	Width	Thickness	REF non-sterile	REF sterile
90mm	12.5mm	1.27mm	215.129.127	215.129.127S



Length	Width	Thickness	REF non-sterile	REF sterile
90mm	12.5mm	1.37mm	215.129.137	215.129.137S



Length	Width	Thickness	REF non-sterile	REF sterile
90mm	12.5mm	1.47mm	215.129.147	215.129.147S

Premium



Length	Width	Thickness	REF non-sterile	REF sterile
70mm	25mm	0.90mm	215.257.090	215.257.090S



Length	Width	Thickness	REF non-sterile	REF sterile
70mm	25mm	1.00mm	215.257.100	215.257.100S



Length	Width	Thickness	REF non-sterile	REF sterile
70mm	6/12.5mm	1.27mm	215.987.127	215.987.127S



Length	Width	Thickness	REF non-sterile	REF sterile
60mm	12.5mm	0.90mm	215.126.090	215.126.090S

Overview references

Length	Width	Thickness				
		0.90mm	1.00mm	1.19mm	1.27mm	1.37mm
Performance Blades						
110mm	19mm				265.191.127 265.191.127S	
90mm	25mm	265.259.090 265.259.090S	265.259.100 265.259.100S	265.259.119 265.259.119S	265.259.127 265.259.127S	265.259.137 265.259.137S
90mm	19mm		265.199.100 265.199.100S	265.199.119 265.199.119S	265.199.127 n/a	
90mm	12.5/19mm				265.999.127 265.999.127S	
90mm	12.5mm	265.129.090 265.129.090S		265.129.119 n/a	265.129.127 265.129.127S	
80mm	12.5mm				265.128.127 265.128.127S	
80mm	8mm				265.088.127 265.088.127S	
70mm	19mm	265.197.090 265.197.090S				

Note: sterile version with S

Performance



Length	Width	Thickness	REF non-sterile	REF sterile
110mm	19mm	1.27mm	265.191.127	265.191.127S



Length	Width	Thickness	REF non-sterile	REF sterile
90mm	25mm	0.90mm	265.259.090	265.259.090S

Performance



Length	Width	Thickness	REF non-sterile	REF sterile
90mm	25mm	1.00mm	265.259.100	265.259.100S



Length	Width	Thickness	REF non-sterile	REF sterile
90mm	25mm	1.19mm	265.259.119	265.259.119S



Length	Width	Thickness	REF non-sterile	REF sterile
90mm	25mm	1.27mm	265.259.127	265.259.127S



Length	Width	Thickness	REF non-sterile	REF sterile
90mm	25mm	1.37mm	265.259.137	265.259.137S

Performance



Length	Width	Thickness	REF non-sterile	REF sterile
90mm	19mm	1.00mm	265.199.100	265.199.100S



Length	Width	Thickness	REF non-sterile	REF sterile
90mm	19mm	1.19mm	265.199.119	265.199.119S



Length	Width	Thickness	REF non-sterile	REF sterile
90mm	19mm	1.27mm	265.199.127	n/a



Length	Width	Thickness	REF non-sterile	REF sterile
90mm	12.5/19mm	1.27mm	265.999.127	265.999.127S

Performance



Length	Width	Thickness	REF non-sterile	REF sterile
90mm	12.5mm	0.90mm	265.129.090	265.129.090S



Length	Width	Thickness	REF non-sterile	REF sterile
90mm	12.5mm	1.19mm	265.129.119	n/a



Length	Width	Thickness	REF non-sterile	REF sterile
90mm	12.5mm	1.27mm	265.129.127	265.129.127S



Length	Width	Thickness	REF non-sterile	REF sterile
80mm	12.5mm	1.27mm	265.128.127	265.128.127S

Performance



Length	Width	Thickness	REF non-sterile	REF sterile
80mm	8mm	1.27mm	265.088.127	265.088.127S



Length	Width	Thickness	REF non-sterile	REF sterile
70mm	19mm	0.90mm	265.197.090	265.197.090S

Overview references

Length	Width	Thickness					Description
		1.00mm	1.10mm	1.20mm	1.30mm	1.40mm	
Reciprocating Blades							
88mm	14mm			245.188.120 245.188.120S			Reciprocating aggressive
85mm	11.6mm			235.785.120 235.785.120S			Reciprocating aggressive
82mm	10mm	245.182.100 245.182.100S					Reciprocating aggressive
80mm	10mm					235.980.990 235.980.990S	Reciprocating (file)
77mm	12mm		235.177.110 235.177.110S				Reciprocating
70mm	12mm		235.270.110 235.270.110S				Reciprocating (double-sided)
70mm	10mm				235.170.130 235.170.130S		Reciprocating
cementless		n/a 235.018.275S					Reciprocating Keel Blade
cemented		n/a 235.018.290S					Reciprocating Keel Blade
cemented		n/a 235.016.250S					Reciprocating Keel Blade
cementless		n/a 235.000.001S					Reciprocating Keel Blade Set
cemented		n/a 235.000.002S					Reciprocating Keel Blade Set

Note: sterile version with S

Reciprocating



Length	Width	Thickness	REF non-sterile	REF sterile
88mm	14mm	1.20mm	245.188.120	245.188.120S

Reciprocating



Length	Width	Thickness	REF non-sterile	REF sterile
85mm	11.6mm	1.20mm	235.785.120	235.785.120S



Length	Width	Thickness	REF non-sterile	REF sterile
82mm	10mm	1.00mm	245.182.100	245.182.100S



Length	Width	Thickness	REF non-sterile	REF sterile
80mm	10mm	1.40mm	235.980.990	235.980.990S



Length	Width	Thickness	REF non-sterile	REF sterile
77mm	12mm	1.10mm	235.177.110	235.177.110S

Reciprocating



Length	Width	Thickness	REF non-sterile	REF sterile
70mm	12mm	1.10mm	235.270.110	235.270.110S



Length	Width	Thickness	REF non-sterile	REF sterile
70mm	10mm	1.30mm	235.170.130	235.170.130S



Length	Width	Thickness	REF non-sterile	REF sterile
	cementless		n/a	235.018.275S



Length	Width	Thickness	REF non-sterile	REF sterile
	cemented		n/a	235.018.290S

Reciprocating



Length	Width	Thickness	REF non-sterile	REF sterile
	cemented		n/a	235.016.250S

Keel Blade Set



Length	Width	Thickness	REF non-sterile	REF sterile
90mm	12.5mm	0.90mm	215.129.090	215.129.090S



Length	Width	Thickness	REF non-sterile	REF sterile
85mm	11.6mm	1.20mm	235.785.120	235.785.120S



Length	Width	Thickness	REF non-sterile	REF sterile
	cementless		n/a	235.018.275S

* Keel Blade Set only available sterile

Keel Blade Set cementless

REF non-sterile

REF sterile

n/a

235.000.001S

Keel Blade Set



Length	Width	Thickness	REF non-sterile	REF sterile
90mm	12.5mm	0.90mm	215.129.090	215.129.090S



Length	Width	Thickness	REF non-sterile	REF sterile
85mm	11.6mm	1.20mm	235.785.120	235.785.120S



Length	Width	Thickness	REF non-sterile	REF sterile
	cemented		n/a	235.018.290S

* Keel Blade Set only available sterile

Keel Blade Set cemented

REF non-sterile

REF sterile

n/a

235.000.002S

Overview references

Length	Width	Thickness			
		0.60mm	0.80mm	1.00mm	1.20mm
Trauma Blades					
70mm	27mm		206.2770.080 206.2770.080S	206.2770.100 206.2770.100S	206.2770.120 206.2770.120S
70mm	27mm				206.2770.120G n/a
70mm	18mm		206.1870.080 206.1870.080S	206.1870.100 206.1870.100S	206.1870.120 n/a
50mm	20mm		206.2050.080 n/a		
48mm	27mm	206.2748.060 206.2748.060S			
48mm	14mm	206.1448.060 206.1448.060S			
48mm	10mm	206.1048.060 206.1048.060S			
25mm	14mm	206.1425.060 206.1425.060S			
25mm	10mm	206.1025.060 206.1025.060S			
25mm	6mm	206.0625.060 206.0625.060S			

Note: sterile version with S

Trauma



Length	Width	Thickness	REF non-sterile	REF sterile
70mm	27mm	0.80mm	206.2770.080	206.2770.080S



Length	Width	Thickness	REF non-sterile	REF sterile
70mm	27mm	1.00mm	206.2770.100	206.2770.100S

Trauma



Length	Width	Thickness	REF non-sterile	REF sterile
70mm	27mm	1.20mm	206.2770.120	206.2770.120S



Length	Width	Thickness	REF non-sterile	REF sterile
70mm	27mm	1.20mm	206.2770.120G	n/a



Length	Width	Thickness	REF non-sterile	REF sterile
70mm	18mm	0.80mm	206.1870.080	206.1870.080S



Length	Width	Thickness	REF non-sterile	REF sterile
70mm	18mm	1.00mm	206.1870.100	206.1870.100S

Trauma



Length	Width	Thickness	REF non-sterile	REF sterile
70mm	18mm	1.20mm	206.1870.120	n/a



Length	Width	Thickness	REF non-sterile	REF sterile
50mm	20mm	0.80mm	206.2050.080	n/a



Length	Width	Thickness	REF non-sterile	REF sterile
48mm	27mm	0.60mm	206.2748.060	206.2748.060S



Length	Width	Thickness	REF non-sterile	REF sterile
48mm	14mm	0.60mm	206.1448.060	206.1448.060S

Trauma



Length	Width	Thickness	REF non-sterile	REF sterile
48mm	10mm	0.60mm	206.1048.060	206.1048.060S



Length	Width	Thickness	REF non-sterile	REF sterile
25mm	14mm	0.60mm	206.1425.060	206.1425.060S



Length	Width	Thickness	REF non-sterile	REF sterile
25mm	10mm	0.60mm	206.1025.060	206.1025.060S



Length	Width	Thickness	REF non-sterile	REF sterile
25mm	6mm	0.60mm	206.0625.060	206.0625.060S

Overview references

Length	Width	Thickness			
		0.40mm	0.50mm	0.60mm	0.80mm
Small Bone Blades					
50mm	27mm			285.2750.060 285.2750.060S	
50mm	19mm			285.1950.060 285.1950.060S	
50mm	14mm			285.1450.060 285.1450.060S	
50mm	10mm			285.1050.060 285.1050.060S	
48mm	27mm			296.0601.060 n/a	
40mm	15mm		285.1540.050F 285.1540.050FS		
40mm	11mm		285.1140.050F 285.1140.050FS		
31mm	11mm	285.1131.040F 285.1131.040FS			
31mm	7mm	285.0731.040F 285.0731.040FS			
27mm	11mm	285.1127.040F n/a			
25mm	14mm			285.1425.060 285.1425.060S	
25mm	10mm			285.1025.060 285.1025.060S	
25mm	6mm			285.0625.060 285.0625.060S	
22mm	9mm	285.0922.040F 285.0922.040FS			
21mm	13mm	285.1321.040F 285.1321.040FS			
21mm	9mm	285.0921.040F 285.0921.040FS			
18mm	5mm	285.0518.040F 285.0518.040FS			
15mm	15mm	285.1515.040F 285.0518.040FS			
15mm	11mm	285.1115.040F 285.1115.040FS			
15mm	7mm	285.0715.040F 285.0715.040FS			
16mm	10mm				285.1001.080 n/a

Note: sterile version with S

Small Bones Fits to: Colibri, UNIUM™



Length	Width	Thickness	REF non-sterile	REF sterile
50mm	27mm	0.60mm	285.2750.060	285.2750.060S



Length	Width	Thickness	REF non-sterile	REF sterile
50mm	19mm	0.60mm	285.1950.060	285.1950.060S



Length	Width	Thickness	REF non-sterile	REF sterile
50mm	14mm	0.60mm	285.1450.060	285.1450.060S



Length	Width	Thickness	REF non-sterile	REF sterile
50mm	10mm	0.60mm	285.1050.060	285.1050.060S

Small Bones Fits to: Colibri, UNIUM™



Length	Width	Thickness	REF non-sterile	REF sterile
48mm	27mm	0.60mm	295.0601.060	n/a



Length	Width	Thickness	REF non-sterile	REF sterile
40mm	15mm	0.50mm	285.1540.050F	285.1540.050FS



Length	Width	Thickness	REF non-sterile	REF sterile
40mm	11mm	0.50mm	285.1140.050F	285.1140.050FS



Length	Width	Thickness	REF non-sterile	REF sterile
31mm	11mm	0.40mm	285.1131.040F	285.1131.040FS

Small Bones Fits to: Colibri, UNIUM™



Length	Width	Thickness	REF non-sterile	REF sterile
31mm	7mm	0.40mm	285.0731.040F	285.0731.040FS



Length	Width	Thickness	REF non-sterile	REF sterile
27mm	11mm	0.40mm	285.1127.040F	n/a



Length	Width	Thickness	REF non-sterile	REF sterile
25mm	14mm	0.60mm	285.1425.060	285.1425.060S



Length	Width	Thickness	REF non-sterile	REF sterile
25mm	10mm	0.60mm	285.1025.060	285.1025.060S

Small Bones Fits to: Colibri, UNIUM™



Length	Width	Thickness	REF non-sterile	REF sterile
25mm	6mm	0.60mm	285.0625.060	285.0625.060S



Length	Width	Thickness	REF non-sterile	REF sterile
22mm	9mm	0.40mm	285.0922.040F	285.0922.040FS



Length	Width	Thickness	REF non-sterile	REF sterile
21mm	13mm	0.40mm	285.1321.040F	285.1321.040FS



Length	Width	Thickness	REF non-sterile	REF sterile
21mm	9mm	0.40mm	285.0921.040F	285.0921.040FS

Small Bones Fits to: Colibri, UNIUM™



Length	Width	Thickness	REF non-sterile	REF sterile
18mm	5mm	0.40mm	285.0518.040F	285.0518.040FS



Length	Width	Thickness	REF non-sterile	REF sterile
15mm	15mm	0.40mm	285.1515.040F	285.1515.040FS



Length	Width	Thickness	REF non-sterile	REF sterile
15mm	11mm	0.40mm	285.1115.040F	285.1115.040FS



Length	Width	Thickness	REF non-sterile	REF sterile
15mm	7mm	0.40mm	285.0715.040F	285.0715.040FS

Small Bones Fits to: Colibri, UNIUM™



Length	Width	Thickness	REF non-sterile	REF sterile
16mm	10mm	0.80mm	285.1001.080	n/a

Overview references

Length	Width	Thickness	
		0.40mm	0.60mm
Small Bone Blades			
41mm	19mm		286.1941.060 286.1941.060S
31mm	11mm	286.1131.040F 286.1131.040FS	
31mm	7mm	286.0731.040F 286.0731.040FS	
27mm	14mm		286.1427.060 286.1427.060S
27mm	10mm		286.1027.060 286.1027.060S
27mm	6mm		286.0627.060 286.0627.060S
22mm	13mm	286.1322.040F 286.1322.040FS	
22mm	9mm	286.0922.040F 286.0922.040FS	
18mm	5mm	286.0518.040F 286.0518.040FS	
18mm	3mm	286.0318.040F 286.0318.040FS	
15mm	11mm	286.1115.040F 286.1115.040FS	
15mm	7mm	286.0715.040F 286.0715.040FS	

Note: sterile version with S

Small Bones Fits to: Electric Pen Drive



Length	Width	Thickness	REF non-sterile	REF sterile
41mm	19mm	0.60mm	286.1941.060	286.1941.060S

Small Bones Fits to: Electric Pen Drive



Length	Width	Thickness	REF non-sterile	REF sterile
31mm	11mm	0.40mm	286.1131.040F	286.1131.040FS



Length	Width	Thickness	REF non-sterile	REF sterile
31mm	7mm	0.40mm	286.0731.040F	286.0731.040FS



Length	Width	Thickness	REF non-sterile	REF sterile
27mm	14mm	0.60mm	286.1427.060	286.1427.060S



Length	Width	Thickness	REF non-sterile	REF sterile
27mm	10mm	0.60mm	286.1027.060	286.1027.060S

Small Bones Fits to: Electric Pen Drive



Length	Width	Thickness	REF non-sterile	REF sterile
27mm	6mm	0.60mm	286.0627.060	286.0627.060S



Length	Width	Thickness	REF non-sterile	REF sterile
22mm	13cm	0.40mm	286.1322.040F	286.1322.040FS



Length	Width	Thickness	REF non-sterile	REF sterile
22mm	9mm	0.40mm	286.0922.040F	286.0922.040FS



Length	Width	Thickness	REF non-sterile	REF sterile
18mm	5mm	0.40mm	286.0518.040F	286.0518.040FS

Small Bones Fits to: Electric Pen Drive



Length	Width	Thickness	REF non-sterile	REF sterile
18mm	3mm	0.40mm	286.0318.040F	286.0318.040FS



Length	Width	Thickness	REF non-sterile	REF sterile
15mm	11mm	0.40mm	286.1115.040F	286.1115.040FS



Length	Width	Thickness	REF non-sterile	REF sterile
15mm	7mm	0.40mm	286.0715.040F	286.0715.040FS

About Gomina



Gomina is a leading manufacturer of medical products for bone surgery. We develop and produce our surgical instruments exclusively in Switzerland and market them worldwide. Hightech products from the heart of the Swiss mountains.

Gomina has pioneered the development of effective tooth geometry for oscillating saw blades using a combination of sharpened cutting and raker teeth. This unique combination of saw teeth results in outstanding cutting performance. Gomina's tooth geometry and arrangement minimises any lateral swerve during cutting, simplifying handling for the clinician.

Gomina's Keel Blade with its patented, innovative tooth geometry enables the accurate preparation of grooves without bone fragments.

100% SWISS MADE

The high requirements of saw technology commanded by surgeons form the basis for our innovation. Today our innovative medical products are used routinely in many knee, hip, foot and hand surgeries to the benefit of patients.

PRECISION AND SWISS-QUALITY

Since the founding of Gomina in 1974, we have made it our business to be precise.

Since then, Gomina has become a leader in the production of micro-mechanical precision components.

Precision that is used around the world in medical technology and sensor technology.

PRODUCTION

From the initial blank to the packaged finished unsterile product, Gomina carries out all processing steps in-house, except the sterilization, in compliance with the Swiss Quality Label.

R&D

Our engineering department converts visionary ideas into innovative products. Thanks to the latest technologies we are able to fulfill special customer requests. In close cooperation with the surgeons we are constantly expanding our product portfolio.

Compatibility

Gomina is a renowned manufacturer of high quality surgical saw blades for the use in modern orthopaedic, traumatological and reconstructive surgery. Our products are compatible with the power systems of various third party manufacturers established on the market. The compatibility of our replacement saw blades with the different power systems is indicated in this catalogue and on our packaging labels.

Our products are safe and effective to use in, but are not limited to, the power systems of Aesculap, Arthrex, Aygun, Conmed Linvatec Hall, DePuy Synthes, DeSoutter Medical, MatOrtho, MicroAire, Smith & Nephew, Bojin, Stryker and Zimmer Biomet. All trademarks mentioned in this document are registered trademarks of the respective companies. Gomina has no association with or is in any way affiliated with the mentioned companies. Data is correct at the time of publishing and its subject to change without notice.

In the past, uncertainty arose among some users, whether or not it is permitted to use Gomina saw blades (third party product) with their power systems, or if they are obliged to use the „original accessories“ provided by the manufacturer of the power system. This is due to ambiguous statements in the IFUs of some power systems or to misleading information given by the employees of individual power system manufacturers or distributors.

In this context, we would like to confirm that the use of Gomina's surgical saw blades in the power systems specified by us is definitely legally permitted and safe.

For any questions or additional information, please contact us.



Contact



Gomina AG
Raiftstrasse 4
3989 Niederwald, Switzerland
Phone +41 27 970 12 70
Fax +41 27 970 12 75
www.gomina.ch
sales@gomina.ch



GOMINA Deutschland GmbH
Ludwig-Vierling-Strasse 7
89233 Neu-Ulm, Germany
info@gomina.de

Version 2026-03
Last modification: 10.03.2026